



Vitrines réfrigérées pour métiers de bouches et GMS

pastorfrigor
GROUP

Typical store with cabinets prepared for connection to unit for HFC gas or Co2
Negozio tipo con mobili collegabili a centrale remota per gas HFC o Co2

● **1**EXCELSIOR for cold cuts, cheese, meat and deli presented with the SPIN module in middle of the line-up. Elegance and attention to details are combined in this model with functionality and guaranteed performances, as well as the large display area, without losing a sight on the ergonomics of the shape.

EXCELSIOR per salumi, formaggi, carne e gastronomia, presentato con il modello **SPIN** al centro del canale. L'eleganza e la cura dei dettagli, si sposano in questo modello a funzionalità e sicurezza di prestazioni, nonché allo spazio ampio di esposizione, senza perdere di vista l'ergonomia della forma.

● **2**Rear wall cabinet ROMA, in remote and plug-in version, for cold cuts, cheese and not refrigerated products.

Retrobanco **ROMA**, gruppo a distanza o plug-in, per salumi, formaggi e prodotti non refrigerati.

● **3**This is **UP** the new wall display which you can hang on the wall to show in plain sight the products on sale

Ecco **UP** il nuovo espositore che si può appendere alla parete per mettere bene in vista i prodotti in vendita.

● **4**Wall multideck display **LEM** model, for drinks, snacks, promotional products and more.

Murale **LEM** per bibite, snack, prodotti promozionali e altro.

● **5**PANAREA HD BMM – promotional semi vertical island for dairy and meat products.

Mostra promozionale con ripiani **PANAREA HD BMM** per prodotti freschi e carne impacchettata.

6 7 8

● **6** Wall multideck for fruit and vegetables **VENEZIA OVERVIEW OPEN** here joined to **VENEZIA OVERVIEW DOORS**. The **OVERVIEW** line offers the chance to display in one single line up different categories of products with an elegant effect and uniformity of style.

Murale **VENEZIA OVERVIEW OPEN** versione ortofrutta, canalizzato con **VENEZIA OVERVIEW DOORS**.

La nuova linea **OVERVIEW** offre in un unico canale differenti categorie di prodotti esposti; si ottiene così un effetto di eleganza ed uniformità di stile.

● **9**For the frozen products we present **TORINO OVERVIEW H150** to use in the smartest way the room inside the shop with a style and the minimum sizes.

Per i prodotti surgelati presentiamo il **TORINO OVERVIEW H150** che permette di utilizzare nel modo più intelligente lo spazio disponibile all'interno del negozio con stile e ingombri minimi.



HER CORNER



FOOD
TO GO



CHILLED DRINKS
PROMO





www.pastorfrigor.it

pastorfrigor
GROUP

SERVEOVER
COUNTERS

Excelsior	9
Excelsior Tower	11
Excelsior Spin	13
Admiral	15
Admiral Tower	17
Admiral Sphera	19
Excellence	21
Excellence Tower	23
Eskimo VC	25
Eskimo VDR	27
Eskimo Tower	29
Prince VDR	31
Click	33
Zita Mini	35
Linda	37
Kristina	39

MULTIDECKS

Genova Overview	43
Doors Genova	45
Overview Open Genova	47

The pictures of this catalogue may not refer to the standard version and configuration. Changes and updates may be made in the future anytime and for any reason The versions of the current production are to be considered as non-binding.

Le immagini di questo catalogo potrebbero non riferirsi all'allestimento e versione standard. Eventuali modifiche e aggiornamenti dei prodotti potranno essere apportati in futuro. Versioni della attuale produzione non vincolanti.

Genova Overview Doors H150	49
Genova Overview Doors H165	51
Lem H150	53
Lem	55
Pangea	57
Venezia Overview Open	59
Venezia Overview Doors	61
Venezia Overview Basso	63
Venezia Overview Basso	65
Doors Venezia Overview Open	67
H150 Venezia Overview Doors	69
H150 Venezia Overview Roll	71
In Venezia Sushi	73
Verona Overview Open	75
Verona Overview Doors	77
Roma	79
Up	81
Milano Overview	83
Torino Overview	85
Torino Overview H150	87
Sofia	89
Sara	91
Kalifornia Q	93

ISLANDS

Vulcano	97
Maui	99
Panarea HD	101
Panarea HD BMM	103
Islanda	105
Sicilia Overview	107
Capri Overview	109
Sardegna Overview Open	111
Sardegna Overview Doors	113
Conv	115
Felix Q	117
Felix SG	119

COLD ROOMS

Cold	122
rooms	124
Cold	
rooms	

TECHNICAL FEATURES

	Plug-in Con gruppo incorporato
	Remote Senza gruppo incorporato
	Ventilated Refrigerazione ventilata
	Low consumption fans Ventole a basso consumo
	LED lighting Illuminazione LED
	Off-cycle defrost Sbrinamento a fermata
	Electric defrost Sbrinamento elettrico
	Antifog ventilation Ventilazione antiappannante
	Antifog heater Resistenza anticondensa
	Propane refrigerant gas R290 Refrigerante R290

COMMERCIAL CATEGORIES

	Sausages & Salami Salumi		Dry pastries and bread Pasticceria secca e pane
	Packed meat Carne confezionata		Chilled drinks Bibite fresche
	Cheese, dairy Formaggi, latticini		Beer and wine Birra e vino
	Milk Latte		Cakes and baked delicacies Torte e prodotti da forno
	Delicatessen Gastronomia		Ready meals and salads Piatti pronti e insalate
	Vegetables Verdura		Frozen food Surgelati
	Fruit Frutta		
	Snack and Sandwiches Snack e panini		
	Impulse Acquisto d'impulso		
	Food to go Cibo da asporto		

Leaganda






Serveover Counters

BANCHI TRADIZIONALI



Excelsior



*Complete legend available on product sheets
found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



AVAILABLE DIMENSIONS*

L: 937 - 1250 - 1875 - 2500

3125 - 3750

90° INT/ EXT - 45° INT/ EXT

AVAILABLE VERSIONS*

Double Static - Statico

Hot Section - Tiro a Calda

Fish - Pesce

Pastry - Pasticceria

Low Temp. - Bassa Temperatura


Bread - Pane

REFRIGERANT*

Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration



Excelsior Tower



*Complete legend available on product sheets
found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Antifog
ventilation



LED
lighting



Low
consumption fan

AVAILABLE DIMENSIONS*


L: 1250

REFRIGERANT*

Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration



Excelsior Spin



*Complete legend available on product sheets
found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Antifog
ventilation



LED
lighting



Low
consumption fan

AVAILABLE DIMENSIONS*

L: 1250

AVAILABLE VERSIONS*

Fish on ice - Pesce su ghiaccio

REFRIGERANT*


Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration



Admiral

1157

844



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



AVAILABLE DIMENSIONS*

L: 937 - 1250 - 1875 - 2500

3125 - 3750

90° INT/ EXT - 45° INT/ EXT

AVAILABLE VERSIONS*


Double Static
Double Static
Hot Section
Hot Section
Fishes
Fishes
Pastry
Pastry
Low Temp. Bassa Temperatura
Bread
Bread
BMM Semivertical multideck
BMM Murale semiverticale

REFRIGERANT*

Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration



Admiral Tower



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Antifog
ventilation



LED
lighting



Low
consumption fan


AVAILABLE DIMENSIONS*

L: 1250

REFRIGERANT*

Thermostatic expansion valve for
all the refrigerant in use
Co2 Refrigeration





*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Antifog ventilation



LED lighting



Low consumption fan

AVAILABLE DIMENSIONS*

L: 1250

AVAILABLE VERSIONS*


Fish on ice - Pesce su ghiaccio

REFRIGERANT*

Thermostatic expansion valve for all the refrigerant in use
Co2 Refrigeration

Model not subject to Energy Labelling
(Ecodesign 2019/2024 and Energy Labelling 2019/2018).
Modello non soggetto ad etichettatura energetica
(Ecodesign 2019/2024 e Energy Labelling 2019/2018).





*Complete legend available on product sheets found on our websites
www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



AVAILABLE DIMENSIONS*

L: 937 - 1250 - 1875 - 2500 - 3125 - 3750
 90° INT/ EXT - 45° INT/ EXT

AVAILABLE VERSIONS*


Hot Section - Tavola Calda
 Fish - Pesce
 Pastry - Pasticceria
 Low Temp. - Bassa Temperatura
 Bread - Pane
 Cylindrical corners - Angoli cilindrici

REFRIGERANT*

Thermostatic expansion valve
 for all the refrigerant in use
 Co2 Refrigeration
 R290 built in unit
 Available with all the other
 refrigerant in use



Excellence Tower



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Plug-in



Antifog
heater



LED
lighting



Low
consumption fan

AVAILABLE

DIMENSIONS* L: 1250

REFRIGERANT*


R290

Co2 Refrigeration

Model not subject to Energy Labelling
(Ecodesign 2019/2024 and Energy Labelling 2019/2018).
Modello non soggetto ad etichettatura energetica
(Ecodesign 2019/2024 e Energy Labelling 2019/2018).



Eskimo VC




*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



AVAILABLE DIMENSIONS*

L: 937 - 1250 - 1875 - 2500 - 3125 - 3750
90° INT/ EXT - 45° INT/ EXT

AVAILABLE VERSIONS*

Hot Section - Tavola Calda
Fish - Pesce
Pastry - Pasticceria
Low Temp. - Bassa Temperatura
Bread - Pane
Spherical corners - Angoli sferici
BMM Semivertical multideck
BMM Murale semiverticale


REFRIGERANT*

Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration
R290 built in unit
Available with all the other
refrigerant in use

Model not subject to Energy Labelling
(Ecodesign 2019/2024 and Energy Labelling 2019/2018).
Modello non soggetto ad etichettatura energetica
(Ecodesign 2019/2024 e Energy Labelling 2019/2018).



Eskimo VDR



*Complete legend available on product sheets found on our websites
www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



AVAILABLE DIMENSIONS*

L: 937 - 1250 - 1875 - 2500 - 3125 - 3750
 90° INT/ EXT - 45° INT/ EXT

AVAILABLE VERSIONS*


Hot Section - Tavola Calda
 Fish - Pesce
 Pastry - Pasticceria
 Low Temp. - Bassa Temperatura
 Bread - Pane
 Cylindrical corners - Angoli cilindrici
 BMM Semivertical multideck
 BMM Murale semiverticale

REFRIGERANT*

Thermostatic expansion valve
 for all the refrigerant in use
 Co2 Refrigeration
 R290 built in unit
 Available with all the other
 refrigerant in use



Eskimo Tower



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Plug-in



Antifog
heater



LED
lighting



Low
consumption fan

AVAILABLE DIMENSIONS*

L: 1250

REFRIGERANT*


R290

Co2 Refrigeration

Model not subject to Energy Labelling
(Ecodesign 2019/2024 and Energy Labelling 2019/2018).
Modello non soggetto ad etichettatura energetica
(Ecodesign 2019/2024 e Energy Labelling 2019/2018).



Prince VDR




*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



AVAILABLE DIMENSIONS*

L: 937 - 1250 - 1875 - 2500 - 3125 - 3750
90° INT/ EXT - 45° INT/ EXT

AVAILABLE VERSIONS*

Hot Section - Tavola Calda
Pastry - Pasticceria
Low Temp. - Bassa Temperatura
Bread - Pane
Cylindrical corners - Angoli cilindrici
BMM Semivertical multideck
BMM Murale semiverticale

REFRIGERANT*


Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration
R290 built in unit
Available with all the other
refrigerant in use



72 pcs 1250 loadable
on a full truck



Click



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Plug-in



Low consumption fan

AVAILABLE DIMENSIONS*

L: 1250 - 1875

AVAILABLE VERSIONS*

Self service Lighting
Illuminazione


REFRIGERANT*

Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration
R290 built in unit
Available with all the other
refrigerant in use

Model not subject to Energy Labelling
(Ecodesign 2019/2024 and Energy Labelling 2019/2018).
Modello non soggetto ad etichettatura energetica
(Ecodesign 2019/2024 e Energy Labelling 2019/2018).



Zita Mini



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Plug-in



Ventilated



Propane
refrigerant gas

AVAILABLE DIMENSIONS*

L: 937 - 1250 - 1875 - 2500 - 3125
90° INT/ EXT - 45° INT/ EXT

AVAILABLE VERSIONS*

Hot section - Tavola calda
Bread - Pane

REFRIGERANT*

Thermostatic expansion valve for
all the refrigerant in use
R290 built-in unit refrigerant



Linda




Linda Q



Linda

1276-1296



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Plug-in



Ventilated

AVAILABLE DIMENSIONS*

L: 625 - 937 - 1250
45°E

AVAILABLE VERSIONS*

Bread - Pane


REFRIGERANT*

Thermostatic expansion valve for all the refrigerant in use
R290 built-in unit

Model not subject to Energy Labelling
(Ecodesign 2019/2024 and Energy Labelling 2019/2018).
Modello non soggetto ad etichettatura energetica
(Ecodesign 2019/2024 e Energy Labelling 2019/2018).



Kristina



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Plug-in



Low consumption fan

AVAILABLE DIMENSIONS*

L: 1250 - 1875

AVAILABLE VERSIONS*

Bread - Pane

REFRIGERANT*

Thermostatic expansion valve for all the refrigerant in use
R290 built-in unit






Multidecks
MURALI



First company in Commercial Refrigeration to achieve Energy Class A.
I primi a raggiungere la *Classe Energetica A* nella refrigerazione commerciale.



Genova Overview Doors



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



AVAILABLE DIMENSIONS*

L: 937 - 1250 - 1875 - 2500 - 3750

D: 75 - 90

H: 205 - 216

AVAILABLE VERSIONS*


Waterloop

REFRIGERANT*

Thermostatic expansion valve for all the refrigerant in use
Co2 Refrigeration
R290 built in unit
Available with all the other refrigerant in use



Genova Overview Open



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



AVAILABLE DIMENSIONS*

L: 937 - 1250 - 1875 - 2500
D: 75 - 90
H: 205 - 216

AVAILABLE VERSIONS*

Meat - Carne
Waterloop

REFRIGERANT*

Thermostatic expansion valve for all the refrigerant in use
Co2 Refrigeration
R290 built in unit
Available with all the other refrigerant in use


Version: BT 780 Door Pitch



Version: BT 625 Door Pitch



Genova Overview BT



*Complete legend available on product sheets found on our websites
www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Plug-in



Low consumption fan



LED lighting



Propane refrigerant gas

AVAILABLE DIMENSIONS*

L: 625 - 780 - 1250 - 1560

1875 - 2340

D: 75 - 90

H: 205 - 216

AVAILABLE VERSIONS*

Waterloop

REFRIGERANT*

Thermostatic expansion valve

for all the refrigerant in use

Co2 Refrigeration

R290 built in unit

Built in unit with all the other refrigerant in use



Version: H150 Doors




Version: H150 Open



Genova Overview Doors

H1750

1500



*Complete legend available on product sheets found on our websites
www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



AVAILABLE DIMENSIONS*

L: 937 - 1250 - 1875 - 2500
D: 75
H: 165

AVAILABLE VERSIONS*

Meat - Carne
Waterloop

REFRIGERANT*

Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration
R290 built in unit
Available with all the other
refrigerant in use



Version: H165 Doors


Version: H165 Open



Genova Overview Doors

H165

1650



*Complete legend available on product sheets found on our websites
www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



AVAILABLE DIMENSIONS*

L: 1250 - 1875 - 2500 - 3750
D: 75
H: 165

AVAILABLE VERSIONS*


Meat - Carne
Waterloop

REFRIGERANT*

Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration
R290 built in unit
Available with all the other
refrigerant in use



Lem H1750



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



AVAILABLE DIMENSIONS*

L: 625 - 937 - 1250
1875 - 2500
H: 150
D: 73

AVAILABLE VERSIONS*

Meat - Carne


REFRIGERANT*

Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration
R290 built in unit
Available with all the other
refrigerant in use



Lem

1950



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



AVAILABLE DIMENSIONS*

L: 625 - 937 - 1250

1875 - 2500

H: 195

D: 73

AVAILABLE VERSIONS*

Meat - Carne


Doors - Porte

REFRIGERANT*

Thermostatic expansion valve for all the refrigerant in use
Co2 Refrigeration
R290 built in unit
Available with all the other refrigerant in use



Pangea



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Plug-in



Low
consumption
fan



Propane
refrigerant
gas

AVAILABLE DIMENSIONS*

L: 937 - 1250

REFRIGERANT*

Thermostatic expansion valve for

all the refrigerant in use

Co2 Refrigeration

R290 built in unit

Built in unit with all the other refrigerant in use





COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



AVAILABLE DIMENSIONS*

L: 1250 - 1875 - 2500 - 3750

D: 75 - 90 - 100 - 110

H: 205 - 216

AVAILABLE VERSIONS*

Meat - Carne


F&VEG - Ortofrutta

REFRIGERANT*

Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration



Venezia Overview Doors



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Ventilated

AVAILABLE DIMENSIONS*

L: 1250 - 1875 - 2500 - 3750

D: 75 - 90 - 100 - 110

H: 205 - 216

REFRIGERANT*

Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration





Version: H 160

Version: H 130



Venezia Overview Basso



*Complete legend available on product sheets found on our websites
www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Ventilated

AVAILABLE DIMENSIONS*

L: 1250 - 1875 - 2500 - 3750

D: 90 - 100

H: 130 - 160

REFRIGERANT*

Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration




Version: H 160

Version: H 130



Venezia Overview Basso Doors



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Ventilated

AVAILABLE DIMENSIONS*

L: 1250 - 1875 - 2500 - 3750

D: 90 - 100

H: 130 - 160


REFRIGERANT*

Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration



Venezia Overview Open

H150



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Ventilated

AVAILABLE DIMENSIONS*

L: 1250 - 1875 - 2500 - 3750

D: 90

H: 150

AVAILABLE VERSIONS*

Meat - Carne


REFRIGERANT*

Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration



Venezia Overview Doors

H150



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Ventilated

AVAILABLE DIMENSIONS*

L: 1250 - 1875 - 2500 - 3750

D: 90


H: 150

REFRIGERANT*

Thermostatic expansion valve for all the refrigerant in use
Co2 Refrigeration



Venezia Overview Roll In



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Ventilated

AVAILABLE DIMENSIONS*

L: 1375 - 1875 - 2500 - 2750 - 3750

D: 110 - 120

H: 205 - 216

AVAILABLE VERSIONS*

With liftable front

Frontale ribaltabile

Without front

Senza frontale

REFRIGERANT*


Thermostatic expansion valve for

all the refrigerant in use

Co2 Refrigeration



Venezia Sushi



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



AVAILABLE DIMENSIONS*

L: 1250 - 1875 - 2500 - 3125

D: 90

H: 118

AVAILABLE VERSIONS*

Meat - Carne

REFRIGERANT*

Co2 Refrigeration

R455 built-in unit



Technical drawings of the 'L' shaped profile, showing front and side views with dimensions in millimeters.

Front View Dimensions:

- Total Height: 1600
- Total Width: 1037
- Vertical Section Width: 500
- Horizontal Section Width: 708
- Segment Heights (from top to bottom): 277, 300, 300, 300, 300, 341
- Bottom Flange Height: 155
- Bottom Flange Width: 227

Side View Dimensions:

- Total Height: 2050
- Total Width: 1037
- Vertical Section Width: 500
- Horizontal Section Width: 708
- Segment Heights (from top to bottom): 317, 325, 325, 325, 325, 416
- Bottom Flange Height: 155
- Bottom Flange Width: 227



COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



AVAILABLE DIMENSIONS*

L: 1250 - 1875 - 2500 - 3750

D: 105 - 115

H: 205 - 216

AVAILABLE VERSIONS*

Meat - Carne

F&VEG - Ortofrutta

REFRIGERANT*

Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration



2160



*Complete legend available on product sheets found on our websites

Remote
Ventilated


L: 1250 - 1875 - 2500 - 3750
D: 105 - 115
H: 205 - 216

Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration



Roma

2400
100 1468



*Complete legend available on product sheets found on our websites
www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



AVAILABLE DIMENSIONS*

L: 1250 - 1875 - 2500


D: 85

H: 216 - 240

REFRIGERANT*

Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration
R290 built in unit
Available with all the other
refrigerant in use





*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Ventilated

AVAILABLE DIMENSIONS*

L: 1250

D: 60

H: 94 - 118

REFRIGERANT*

Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration







Version: H 160

Version: H 130



Venezia Overview Basso



*Complete legend available on product sheets found on our websites
www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Ventilated

AVAILABLE DIMENSIONS*

L: 1250 - 1875 - 2500 - 3750

D: 90 - 100

H: 130 - 160

REFRIGERANT*

Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration




Version: H 160

Version: H 130



Venezia Overview Basso Doors



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Ventilated

AVAILABLE DIMENSIONS*

L: 1250 - 1875 - 2500 - 3750

D: 90 - 100

H: 130 - 160


REFRIGERANT*

Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration



Venezia Overview Open

H150



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Ventilated

AVAILABLE DIMENSIONS*

L: 1250 - 1875 - 2500 - 3750

D: 90

H: 150

AVAILABLE VERSIONS*

Meat - Carne


REFRIGERANT*

Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration



Venezia Overview Doors

H150



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Ventilated

AVAILABLE DIMENSIONS*

L: 1250 - 1875 - 2500 - 3750

D: 90


H: 150

REFRIGERANT*

Thermostatic expansion valve for all the refrigerant in use
Co2 Refrigeration



Venezia Overview Roll In



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Ventilated

AVAILABLE DIMENSIONS*

L: 1375 - 1875 - 2500 - 2750 - 3750

D: 110 - 120

H: 205 - 216

AVAILABLE VERSIONS*

With liftable front

Frontale ribaltabile

Without front

Senza frontale

REFRIGERANT*


Thermostatic expansion valve for

all the refrigerant in use

Co2 Refrigeration



Venezia Sushi



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Plug-in



Ventilated

AVAILABLE DIMENSIONS*

L: 1250 - 1875 - 2500 - 3125

D: 90

H: 118

AVAILABLE VERSIONS*

Meat - Carne


REFRIGERANT*

Co2 Refrigeration

R455 built-in unit



Verona Overview Open



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Ventilated

AVAILABLE DIMENSIONS*

L: 1250 - 1875 - 2500 - 3750

D: 105 - 115

H: 205 - 216

AVAILABLE VERSIONS*

Meat - Carne

F&VEG - Ortofrutta

REFRIGERANT*


Thermostatic expansion valve
for all the refrigerant in use

Co2 Refrigeration



Verona Overview Doors

2160



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Ventilated

AVAILABLE DIMENSIONS*

L: 1250 - 1875 - 2500 - 3750

D: 105 - 115

H: 205 - 216


REFRIGERANT*

Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration



Roma

2400
100 1468



*Complete legend available on product sheets found on our websites
www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



AVAILABLE DIMENSIONS*

L: 1250 - 1875 - 2500


D: 85

H: 216 - 240

REFRIGERANT*

Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration
R290 built in unit
Available with all the other
refrigerant in use





*Complete legend available on product sheets found on our websites
www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Ventilated

AVAILABLE DIMENSIONS*

L: 1250

D: 60


H: 94 - 118

REFRIGERANT*

Thermostatic expansion valve
 for all the refrigerant in use
 Co2 Refrigeration



Milano Overview



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Ventilated

AVAILABLE DIMENSIONS*

L: 1875 - 2500 - 3750

D: 112

H: 205 - 216

AVAILABLE VERSIONS*



HG - Front high glass

REFRIGERANT*

Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration



Torino Overview



*Complete legend available on product sheets found on our websites
www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Ventilated

AVAILABLE DIMENSIONS*

L: 785 - 1560 - 2341 - 3120 - 3899

D: 90


H: 205 - 216

REFRIGERANT*

Thermostatic expansion valve
 for all the refrigerant in use
 Co2 Refrigeration



Torino Overview H150



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Ventilated

AVAILABLE DIMENSIONS*

L: 785 - 1560 - 2341 - 3120 - 3899

D: 75


H: 150

REFRIGERANT*

Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration



sofia



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



AVAILABLE DIMENSIONS*

L: 625 - 937 - 1250 - 1875

H: 130 - 150

AVAILABLE VERSIONS*

Meat - Carne

REFRIGERANT*

R290 built in unit

Sara




Sara Q



Sara

1426



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



AVAILABLE DIMENSIONS*

L: 625 - 937 - 1250 - 1875

H: 130 - 140 - 150 - 160

REFRIGERANT*

Thermostatic expansion valve for all the refrigerant in use

Kalifornia Q




Kalifornia D



Kalifornia Q

1950/2050/2150



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Ventilated

AVAILABLE DIMENSIONS*

L: 1250 - 1875 - 2500 - 3750

D: 60 - 70 - 75 - 80

H: 195 - 205 - 216

AVAILABLE VERSIONS*

Meat - Carne

F&VEG - Ortofrutta

With doors - Con porte

REFRIGERANT*



Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration



Islands
ISOLE



Vulcano



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



AVAILABLE DIMENSIONS*

L: 1250 - 1875


Headcases - Testate

REFRIGERANT*

Co2 Refrigeration
Remote with valve
R290 built-in unit



Maui



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Ventilated

AVAILABLE DIMENSIONS*

L: 1250 - 1875 - 2500 - 3750


Headcases - Testate

REFRIGERANT*

Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration



Panarea HD



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Plug-in



Low
consumption
fan



Propane
refrigerant
gas

AVAILABLE DIMENSIONS*

L: 937 - 1250

AVAILABLE VERSIONS*


Open Version - Aperto

REFRIGERANT*

Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration
R290 built in unit
Built in unit with all the other
refrigerant in use



Panarea HD BMM



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Plug-in



Low
consumption
fan



Propane
refrigerant
gas

AVAILABLE DIMENSIONS*

L: 937 - 1250

REFRIGERANT*



Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration
R290 built in unit
Built in unit with all the other
refrigerant in use

AVAILABLE VERSIONS*

With sliding doors_ Con chiusure
scorrevoli



Islanda



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



AVAILABLE DIMENSIONS*


L: 1875 - 2500 - 3750
Headcases - Testate

REFRIGERANT*

Thermostatic expansion valve for all the refrigerant in use
Co2 Refrigeration



Sicilia Overview



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Ventilated

AVAILABLE DIMENSIONS*

L: 1875 - 2500 - 3750

D: 150

REFRIGERANT*


Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration

AVAILABLE VERSIONS*

With sliding doors - Con chiusure
scorrevoli



Capri Overview



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Ventilated

AVAILABLE DIMENSIONS*

L: 1875 - 2500 - 3750

D: 110


REFRIGERANT*

Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration

AVAILABLE VERSIONS*

With sliding doors
- Con chiusure
scorrevoli





*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Ventilated

AVAILABLE DIMENSIONS*

L: 1875 - 2500 - 3750

D: 163 - 204


AVAILABLE VERSIONS*

HG - Front high glass

REFRIGERANT*

Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration





*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Remote



Ventilated

AVAILABLE DIMENSIONS*

L: 1875 - 2500 - 3750

D: 163 - 204


AVAILABLE VERSIONS*

HG - Front high glass

REFRIGERANT*

Thermostatic expansion valve
for all the refrigerant in use
Co2 Refrigeration





*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Plug-in



Ventilated

AVAILABLE DIMENSIONS*


L: 1250 - 1875

REFRIGERANT*

Thermostatic expansion valve for all the refrigerant in use



Felix Q



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Plug-in



Ventilated



Propane
refrigerant gas

AVAILABLE DIMENSIONS*

L: 1390 - 1540 - 1990 - 2590

AVAILABLE VERSIONS*

Remote

Led


Dual temperature

REFRIGERANT*

Thermostatic expansion valve
for all the refrigerant in use
R290 built in unit



Felix SG



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*



Plug-in



Ventilated

AVAILABLE DIMENSIONS*

L: 1390 - 1540 - 1990 - 2590

REFRIGERANT*

Thermostatic expansion valve for all the refrigerant in use






Cold rooms

CELLE FRIGORIFERE



Cold Rooms



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



TECHNICAL FEATURES*

Thickness of the panels:

- from 7 to 10 cm for Normal temperature
- from 10 to 13 cm for Low temperature

Spessore dei pannelli:


- da 7 a 10 cm per temperatura normale
- da 10 a 13 cm per temperatura negativa

Modularity: dimensions can be increased by 20 cm in width, length and height

Modularità: crescita di 20 cm in 20 cm in larghezza, lunghezza e altezza



Cold Rooms



*Complete legend available on product sheets found on our websites www.pastorfrigor.it

COMMERCIAL CATEGORIES*



AVAILABLE VERSIONS*

With or without floor
Con pavimento o senza

Floor can be standard, reinforced and walkable with trolleys
Pavimenti standard, rinforzati o carrellabili

Different types of doors

Diversi tipi di porte

Plasticized, painted or inox externals

Fronti esterni in lamiera plastificata, preverniciata, inox





Pastorfrigor S.p.A.

Reg. Gabannone, 4 Z.I. · 15033 Terruggia (AL) · Italy | Phone +39 0142 433 711 · Fax +39 0142 433 701 | P.IVA/VAT IT00578270068

www.pastorfrigor.it

BAKERY

BUTCHER CO





Typical store with plug in cabinets in R290

Negoziio tipo con mobili a gruppo incorporato R290

1 Near wall cabinet ROMA, in remote and plug-in version, for cold cuts, cheese and not refrigerated products.

Retrobanco ROMA, gruppo a distanza o plug-in, per salumi, formaggi e prodotti non refrigerati.

2 This is UP the new wall display which you can hang on the wall to show in plain sight the products on sale. Ecco UP il nuovo espositore che si può appendere alla parete per mettere bene in vista i prodotti in vendita.

3 4 EXCELLENCE for cheese, meat, and deli in remote and plug-in version. Led are highly performing with low consumption. Joined to EXCELLENCE 45 int. corner.

EXCELLENCE, gruppo a distanza o plug in, per formaggi, carne e gastronomia. Led iper-performanti a basso consumo. Canalizzato a EXCELLENCE ad angolo 45°I.

5 EXCELLENCE BREAD - EXCELLENCE PANE

6 EXCELLENCE cash desk. The design and finishing are matching the rest of the line-up.

EXCELLENCE terminale cassa: le sue finiture ed il design esterno sono allineati con il resto dei banchi a cui è canalizzato.

7 Wall multideck LEM for drinks, snacks, promotional products and more.

Murale LEM per bibite, snack, prodotti promozionali e altro.

8 Multideck freezer GENOVA OVERVIEW BT in the version with 780 mm doors, but also available with small door 625 mm.

Murale per surgelati GENOVA OVERVIEW BT nella versione con porta da 780 mm, ma anche producibile con porta 625 mm.

9 Wall cabinet GENOVA OVERVIEW OPEN for fruit and vegetables.

Murale GENOVA OVERVIEW OPEN per frutta e verdura.

10 The GENOVA OVERVIEW DOORS wall multideck is a very unique product with the lowest energy consumption in the world

Il murale GENOVA OVERVIEW DOORS è un prodotto unico con i consumi più bassi al mondo.

11 PANAREA HD – promotional island for dairy and meat products.

Isola promozionale PANAREA HD per prodotti freschi e carne impacchettata.

by

ART OF COLD
le froid maîtrisé

Vitrines réfrigérées pour métiers de bouche et GMS



contact@artofcold.fr

06 84 25 69 26



www.artofcold.fr